

TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

Legal Name of Accredited Laboratory: Kinectrics Inc. Transmission and Distribution Technology

Contact Name:	David Clarke
Address:	800 Kipling Avenue, Unit 2 Toronto, ON M8Z 5G5
Telephone:	+1 416-207-6539
Fax:	+1 416-207-5717
Website:	www.kinectrics.com
Email:	dave.clarke@kinectrics.com

SCC File Number:	15725
Accreditation Standard(s):	ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories
Fields of Testing:	Electrical/Electronic Mechanical/Physical Thermal & Fire Resistance
Initial Accreditation:	2006-11-16
Most Recent Accreditation:	2022-05-24
Accreditation Valid to:	2026-11-16

Remarque: La présente portée d'accréditation existe également en français, sous la forme d'un document distinct.

Note: This scope of accreditation is also available in French as a separately issued document.

ELECTRICAL PRODUCTS AND ELECTRONIC PRODUCTS

Components and Assemblies:

Electrical Rotating Machines

Page **1** of **9** ASB_JA_LAP-Scope-Template_v6_2022-03-08





IEEE 1043	IEEE Recommended Practice for Voltage-
	Endurance testing of Form-Wound Bars and
	Coils
IEEE 1310	IEEE Trial Use Recommended Practice for
	Thermal Cycle Testing of Form-Wound Stator
	Bars and Coils for Large Generators
IEEE 1553	IEEE Trial-Use Standard for Voltage Endurance
	Testing of Form-Wound Coils and Bars for
	Hydrogenerators

High Voltage Bushings

CAN/CSA 88.1 Power Transformer and Reactor Bushings Only for: Clause 10.2: Power Factor and Capacitance Measurement Clause 10.3: Dry, One-Minute Low-Frequency Withstand Voltage Tests Clause 10.4: Insulation Integrity IEC 60137 IEC 60137 Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor Clause 7.4.2: Power factor	voltage bushings	
Capacitance Measurement Clause 10.3: Dry, One-Minute Low-Frequency Withstand Voltage Tests Clause 10.4: Insulation Integrity IEC 60137 Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor	CAN/CSA 88.1	Power Transformer and Reactor Bushings
Clause 10.3: Dry, One-Minute Low-Frequency Withstand Voltage Tests Clause 10.4: Insulation IntegrityIEC 60137Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantityIEEE C57.19.00IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Only for: Clause 10.2: Power Factor and
Withstand Voltage Tests Clause 10.4: Insulation Integrity IEC 60137 Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Capacitance Measurement
Clause 10.4: Insulation Integrity IEC 60137 Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Clause 10.3: Dry, One-Minute Low-Frequency
IEC 60137 Insulated Bushings for alternating voltages above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Withstand Voltage Tests
above 1000 V Only for: Clause 9.1: Measurement of dielectric dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Clause 10.4: Insulation Integrity
Image: Construction of the construc	IEC 60137	Insulated Bushings for alternating voltages
dissipation factor and capacitance at ambient temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantityIEEE C57.19.00IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		above 1000 V
temperature Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantityIEEE C57.19.00IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Only for: Clause 9.1: Measurement of dielectric
Clause 9.2: Dry lightning impulse voltage withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantityIEEE C57.19.00IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		dissipation factor and capacitance at ambient
withstand test (BIL) Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		temperature
Clause 9.3: Dry power frequency voltage withstand test Clause 9.4: Measurement of partial discharge quantityIEEE C57.19.00IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Clause 9.2: Dry lightning impulse voltage
withstand test Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		withstand test (BIL)
Clause 9.4: Measurement of partial discharge quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Clause 9.3: Dry power frequency voltage
quantity IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		withstand test
IEEE C57.19.00 IEEE Standard General Requirements and Test Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		Clause 9.4: Measurement of partial discharge
Procedure for Power Apparatus Bushings Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor		quantity
Only for: Clause 7.4.1: Capacitance (C1 and C2) measurement Clause 7.4.2: Power factor	IEEE C57.19.00	IEEE Standard General Requirements and Test
C2) measurement Clause 7.4.2: Power factor		Procedure for Power Apparatus Bushings
Clause 7.4.2: Power factor		Only for: Clause 7.4.1: Capacitance (C1 and
		C2) measurement
Clause 7.4.3: Rated frequency dry withstand		Clause 7.4.2: Power factor
Clause 1.4.0. Nated inequelley dry withound		Clause 7.4.3: Rated frequency dry withstand
test with partial discharge measurements		test with partial discharge measurements

Lightning Arresters

IEC 60099-4	Part 4: Metal-oxide surge arresters without gaps
	for A.C.systems
	Only for: Design Tests: 8.3 Residual Voltage

Power Cables

AEIC CS2	Specification for Impregnated Paper and
	Laminated Paper Polypropylene Insulated
	Cable, High-Pressure Pipe - Type
	Only for: Clause 12.5: Electrical Tests
	Clause 12.6: Qualification Tests





r	Standard for extruded insulation power cables rated above 46 through 345 KV
	1 aleu abuve 40 illiougii 343 NV
	Only for: Clause 10.1: Cable qualification tests
	Vehicle-Mounted Elevating and Rotating Aerial
	Devices
	Only for: Table 1, Category A and Category B
	[Except for: Unit Rating 765 kV]
	Clause 5.4.2.1. Test Procedures for Category A
	and Category B Aerial Devices Electric cables - Polymeric insulated Part 1: For
	,
	working voltages 1.9/3.3 (3.6) kV up to and
	including 19/33 (36)
	Only for: Table 3.1: Tests on Cable. Pass
	Criteria, Category and Reference [Except for:
	Melt flow index]
	Electric cables - Polymeric insulated Part 1: For
	working voltages up to and including 0.6/1 (1.2)
	Only for: Table 6: Tests on Cable Pass Criteria,
	Category and Reference [Except for: Vertical
	flame propagation, Acid and corrosive gas
	emission, Melt flow index]
	Vehicle-Mounted Aerial Devices
	Only for: Table 1, Category A and Category B
	[Except for:Unit rating, 765 kV]
	Clause 5.4.2.1. Test Procedures for Category A
	and Category B Aerial Devices
	Power cables with extruded insulation and their
	accessories for rated voltages from 1 kV (Um =
	1.2 kV) up to 30 kV (Um = 36 kV) - Part 1:
	Cables for rated voltages of 1 kV (Um = 1,2 kV)
	and 3 kV (Um = 3,6 kV)
	Only for: Clause 17: Type Tests, Electrical
	Clause 18: Type Tests, Non-Electrical [Except
	for Clauses:18.10, 18.12, 18.14, 18.17, 18.18,
	18.19, 18.21, 18.22]
	Power cables with extruded insulation and their
	accessories for the rated voltages from 1 kV
	(Um =1.2 kV) up to 30 kV (Um=36 kV) - Part 2:
	Cables for rated voltages from 6 kV (Um = 7,2
	kV) up to 30 kV (Um = 36 kV)
	Only for:
	Clause 18: Type Tests, Electrical [Except for
	Clause 18.2]
	Clause 19: Type Tests, Non-Electrical [Except
	for Clause: 19.10, 19.12, 19.14, 19.18, 19.19]





	Devices a shall be with a structure of in scale time. A statistic
IEC 60840*	Power cables with extruded insulation and their
	accessories for rated voltages above 30 kV (Um
	= 36 kV) up to 150 kV (Um = 170 kV) - Test
	methods and requirements
	Except for:
	Clauses 12.5.5, 12.5.7, 12.5.8.12.5.15, 12.5.16,
	12.5.17, 12.5.19
	Only for: Clause 12 - Type Tests on Cable
	Systems, Clause 16.3 - AC voltage test of the
	insulation (on-site testing)
IEC 62067*	Power cables with extruded insulation and their
	accessories for rated voltages above 150 kV
	(Um = 170 kV) up to 500 kV (Um = 550 kV) -
	Test methods and requirements
	Except for: Clauses 12.5.5, 12.5.7, 12.5.8,
	12.5.15, 12.5.16, 12.5.17, 12.5.19]
	Only for: Clause 12 - Type Tests on Cable
	Systems, Clause 16.3: AC voltage test of the
	insulation (on-site testing)
IEEE 48	IEEE Standard for Test Procedures and
	Requirements for Alternating Current Cable
	Terminations used on Shielded Cables Having
	Laminated Insulation Rated 2.5kV through
	765kV or Extruded Insulation rated 2.5kV
	through 500kV
	Only for: Clauses 8.4.1.1, 8.4.1.2, 8.4.1.2,
	8.4.1.5, 8.4.1.6, 8.4.1.7, 8.4.1.8, 8.4.2, 8.4.3

Insulators

ators	
ANSI C29.1	Tests Methods for Electrical Power Insulators
	Only for:
	Clause 4: Electrical Tests
	Clause 5: Mechanical Tests
CAN/CSA C411.1	AC Suspension Insulators
	Only for:
	Clause 6: Type Tests
CAN/CSA-C411.4	Composite Suspension Insulators for
	Transmission Applications
	Only for:
	Clause 5: Design Tests
	Clause 6: Type Tests
IEC 60383-1	Insulators for overhead lines with a nominal
	voltage above 1000 V - Part 1: Ceramic or glass
	insulator units for a.c. systems - Definitions, test
	methods and acceptance criteria
	Only for: Type tests for suspension cap and pin
	insulators





IEC 61109 and amendment No.1	Composite insulators for a.c. overhead lines
	with a nominal voltage greater than 1000 V -
	Definitions, test methods and acceptance
	criteria
	Only for:
	Clause 10 Design Tests
	Clause 11 Type tests

Wiring and Related Products:

Overhead Lines - Connectors & Hardware	
ANSI C119.4	Connectors for use between aluminum-to-
	aluminum or aluminum-to-copper bare overhead
	conductors
	Except for:
	Clause 4.3.1.2 Current Cycle Resistance
	Stability – CCST
	Clause 4.3.2.2 Current Cycle Temperature
	Stability – CCST
	Clause 4.3.3 Copper System Thermal Stability
	Clause 6.3.1.5.2 Current and Temperature
	Condition – CCST
	Clause 6.3.2 Static Heating Stability Test
IEC 61284	Overhead Lines – Requirements and Tests for
	Fittings
	Except for: Clause 13.5.3: Joints of class B
	Only for: Clause 13: Heat Cycle Tests, Clause
	14: Corona and radio interference voltage (RIV)
	Tests
IEC 61854	Overhead Lines – Requirements and Tests for
	Spacers
	Only for:
	Clause 7.1 Visual Examination
	Clause 7.2 Verification of Dimensions, Materials
	and Mass
	Clause 7.5 Mechanical Tests
	Clause 7.7 Electrical Tests

Overhead Lines – Conductors & Fiber Optic Cables

BS EN 50182	Conductors for overhead lines - Round wire
	concentric lay stranded conductors:
	Only for: Clause 6.4: Properties of conductor
	[Except for Clause 6.4.9 Stringing Test]
	Clause 6.5: Properties of wires after stranding
	[Except for Clause 6.5.3 Welding of aluminum
	wires]
	Clause 6.6.1 Mass per unit length





	Standard Creatification for Aluminum 1250, 1110
ASTM B230	Standard Specification for Aluminum 1350–H19
	Wire for Electrical Purposes
	Only for:
	Clause 7 Tensile Properties
	Clause 8 Bending Properties
	Clause 9 Resistivity
	Clause 10 Density Clause 11 Diameter
	Clause 12 Joints
ASTM B498	Standard Specification for Zinc-Coated
	(Galvanized) Steel Core Wire for Use in
	Overhead
	Electrical Conductors
	Only for:
	Clause 8 Tensile Test
	Clause 9 Wrap Test
	Clause 10 Coating Test
	Clause 11 Adherence of Coating Test
	Clause 14 Dimensions and Permissible
	Variations
IEC 60794-1-21	Optical fibre cables Part 1-21: Generic
	specification. Basic optical cable test
	procedures Mechanical test Methods
	Only for:
	Clause 3 Method E1: Tensile Performance
	Clause 5 Method E3: Crush
	Clause 6 Method E4: Impact
	Clause 10 Method E6: Repeated Bending
	Clause 11 Method E7: Torsion
	-
	Clause 14 Method E10: Kink
	Clause 15 Method E11: Bend
	Clause 18 Method E14: Compound Flow (Drip
	Clause 23 Method E18B: Sheave Test
	Clause 24 Method E19: Aeolian Vibration
IEC 60794-1-22	Optical fibre cables Part 1-22: Generic
	specification Basic optical cable test procedures
	Environmental test methods
	Only for:
	Clause 3 Method F1: Temperature Cycling
	Clause 7 Method F5: Water Penetration [Except
	for Method F5A]
IEC 60794-1-401	Optical fibre cables - Part 1-401: Generic
	specification - Basic optical cable test
	procedures - Electrical test methods - Short-
	circuit test (for OPGW, OPPC and OPAC),
	Method H1
IEC 60794-1-402	Optical fibre cables - Part 1-402: Generic
	specification - Basic optical cable test
	procedures - Electrical test methods – Lightning
	test (for OPGW, OPPC and OPAC), Method H2





IEC 60794-4-10	Optical fibre cables Part 4-10: Family specification Optical ground wires (OPGW) along electrical power lines
IEC 61089	Round Wire Concentric Lay Overhead Electrical Stranded Conductors Only for: Clause 6.5: Type tests Clause 6.6: Sample tests
IEC 61395	Overhead Electrical Conductors - Creep Test Procedures for Stranded Conductors
IEEE 1138	IEEE Standard for Testing and Performance for Optical Ground Wire (OPGW) for use on Electrical Utility Power Lines

ENVIRONMENTAL AND OCCUPATIONAL HEALTH AND SAFETY

Occupational Health and Safety:

Personal Protection

(Arc-Flash Testing)

ASTM F1959/F 1959M	Standard Test Method for Determining the Arc
	Rating of Materials for Clothing
ASTM F2178	Standard Test Method for Determining the Arc
	Rated Eye or Face Protective Products
ASTM F2621	Standard Practice for Determining Response
	Characteristics and Design Integrity of Arc
	Rated Finished Products and Evaluating other
	Products in an Electric Arc Exposure
ASTM F2675	Standard Test Method for Determining Arc
	Ratings of Hand Protective Products Developed
	and Used for Electrical Arc Flash Protection
ASTM F887	Standard Specification for Personal Climbing
	Equipment, Only for: Section 22; After exposure
	to an Electrical Arc
IEC 61482-1-1	Live working - Protective clothing against the
	thermal hazards of an electric arc - Part 1-1:
	Test methods - Method 1: Determination of the
	arc rating (ATPV or EBT50) of flame resistant
	materials for clothing



IEC 61482-1-2	Live working - Protective clothing against the
	thermal hazards of an electric arc - Part 1-2:
	Test methods - Method 2: Determination of arc
	protection class of material and clothing by
	using a constrained and directed arc (box test)

(Safety Equipment)

ty Equipment)	
ASTM D1048	Standard Specification for Rubber Insulating
	Blankets
	Only for:
	Clause 9: Electrical Requirements
	Clause 18: Electrical Tests
ASTM D120	Standard Specification for Rubber Insulating
	Gloves
	Only for:
	Clause 11: Electrical Requirements
	Clause 18: Electrical Tests
ASTM F496	Standard Specification for In Service Care of
	Insulating Gloves and Sleeves
	Only for: Clause 7: Electrical Tests [Except for:
	Clause 7.6 Sleeve tests]
CAN/ULC-60903 (IEC 60903)	Live Working - Gloves of Insulating Material
	Only for:
	Clause 8.4.1: Dielectric Tests - General
	Clause 8.4.2 Dielectric Tests - AC Test
	Procedure

Number of Scope Listings: 48

Notes:

ISO/IEC 17025:2017: General Requirements for the Competence of Testing and Calibration Laboratories

* These test methods can be performed on-site as per RG-Lab.





This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at <u>www.scc.ca</u>.

Elias Rafoul Vice-President, Accreditation Services Publication on: 2023-03-24

